

## INDEX

Volume II, February 1965 to November 1965

- No. 1 (Feb. 1965), pp. 1-58  
 No. 2 (May 1965), pp. 59-196  
 No. 3 (Aug. 1965), pp. 197-298  
 No. 4 (Nov. 1965), pp. 299-348

## AUTHOR INDEX

### ARTICLES

- BAKER, CLYDE N., JR. *See* Perpich, William M.  
 BROOKER, ELMER W., and IRELAND, HERBERT O. Earth pressures at rest related to stress history, 1  
 CASAGRANDE, L., FIRING, P., SCHOOF, G., and TURCKE, E. W. JOHN. Settlement of mat foundation on thick stratum of sensitive clay, 299  
 CRAWFORD, C. B. The resistance of soil structure to consolidation, 90  
 DE JONG, E., and WARKENTIN, B. F. Shrinkage of soil samples with varying clay concentration, 16  
 DELORY, F. A., GASS, A. A., and WONG, W. W. Measured pore pressures used for the control of two-stage construction of an embankment, 216  
 FIRING, P. *See* Casagrande, L.  
 GASS, A. A. *See* DeLory, F. A.  
 HARDY, R. M. Identification and performance of swelling soil types, 141  
 HORNER, J. M. *See* Kondner, R. L.  
 INSLEY, ALAN E. A study of a large compacted clay embankment-fill failure, 274  
 IRELAND, HERBERT O. *See* Brooker, Elmer W.  
 KLOHN, EARLE J. The elastic properties of a dense glacial till deposit, 116  
 KOHUSKA, A. *See* Rivard, P. J.  
 KONDNER, R. L., and HORNER, J. M. Triaxial compression of a cohesive soil with effective octahedral normal stress control, 40  
 LADANYI, B., LAROCHELLE, P., and TANGUAY, L. Some factors controlling the predictability of stress-strain behaviour in clay, 60  
 LAROCHELLE, P. *See* Ladanyi, B.  
 LO, K. Y., and STERMAC, A. G. Failure of an embankment founded on varved clay, 234  
 LUKAS, ROBERT G. *See* Perpich, William M.  
 MACFARLANE, I. C. The corrosiveness of muskeg waters: a review, 327  
 PERPICH, WILLIAM M., LUKAS, ROBERT G., and BAKER, CLYDE N., JR. Desiccation of soil by trees related to foundation settlement, 23  
 QUIGLEY, R. M. *See* Soderman, L. G.  
 RIVARD, P. J., and KOHUSKA, A. Shellmouth Dam test fill, 198  
 SCHOOF, G. *See* Casagrande, L.  
 SODERMAN, L. G., and QUIGLEY, R. M. Geotechnical properties of three Ontario clays, 167  
 STERMAC, A. G. *See* Lo, K. Y.  
 SUTCLIFFE, F. H. A till cofferdam in the St. Lawrence River, 261  
 TANGUAY, L. *See* Ladanyi, B.  
 TURCKE, E. W. JOHN. *See* Casagrande, L.  
 WARKENTIN, B. F. *See* de Jong, E.  
 WILLIAMS, G. P. Correlating freeze-up and break-up with weather conditions, 313  
 WONG, W. W. *See* DeLory, F. A.

### DISCUSSION

- BAZETT, D. J. Measured pore pressures used for the control of two-stage construction of an embankment (DeLory, Gass, and Wong), 228  
 BOZOUK, M. Failure of an oil storage tank founded on a sensitive marine clay (Brown and Paterson), 345  
 BRADSHAW, T. J. *See* Conlon, R. J.  
 BROOKER, E. W. Failure of an embankment founded on varved clay (Lo and Stermac), 258  
 Identification and performance of swelling soil types (Hardy), 163  
 BURN, K. N. Elastic properties of a dense glacial till deposit (Klohn), 341  
 CONLON, R. J., and BRADSHAW, T. J. A till cofferdam in the St. Lawrence River (Sutcliffe), 271  
 EDEN, W. J. Failure of an embankment founded on varved clay (Lo and Stermac), 259  
 GOLDER, H. Q. Measured pore pressures used for the control of two-stage construction of an embankment (DeLory, Gass, and Wong), 227  
 HANNA, T. H. The elastic properties of a dense glacial till deposit (Klohn), 129  
 HARDY, R. M. A study of a large compacted clay embankment-fill failure (Insley), 287

- HOLUBEC, I., and SCOTT, J. D. Some factors controlling the predictability of stress-strain behaviour of clay (Ladanyi, LaRochelle, and Tanguay), 87
- HVORSLEV, M. J. Earth pressures at rest related to stress history (Brooker and Ireland), 337
- LO, K. Y. The resistance of soil structure to consolidation (Crawford), 114
- MATICH, M. A. J. A study of a large compacted clay embankment-fill failure (Insley), 294
- MATYAS, E. L. Shellmouth Dam test fill (Rivard and Kohuska), 212
- NEWLAND, P. L. Failure of an oil storage tank founded on a sensitive marine clay (Brown and Paterson), 343
- NOBEL, C. A. Identification and performance of swelling soil types (Hardy), 161
- OSLER, J. C. *See* Yong, R. N.
- PERLOFF, W. H., JR. Triaxial compression of a cohesive soil with effective octahedral normal stress control (Kondner and Horner), 338
- PETERSON, R. The elastic properties of a dense glacial till deposit (Klohn), 140
- Shellmouth Dam test fill (Rivard and Kohuska), 213
- POLLOCK, D. H. Shellmouth Dam test fill (Rivard and Kohuska), 214
- RAYMOND, G. P. Measured pore pressures used for the control of two-stage construction of an embankment (DeLory, Gass, and Wong), 232
- The resistance of soil structure to consolidation (Crawford), 100
- SCOTT, J. D. *See* Holubec, I.
- SOWA, V. A. Some factors controlling the predictability of stress-strain behaviour of clay (Ladanyi, LaRochelle, and Tanguay), 84
- THOMSON, S. Geotechnical properties of three Ontario clays (Soderman and Quigley), 194
- Identification and performance of swelling soil types (Hardy), 154
- THURBER, R. C. A study of a large compacted clay embankment-fill failure (Insley), 293
- TOWNSEND, D. L. Failure of an embankment founded on varved clay (Lo and Stermac), 254
- Geotechnical properties of three Ontario clays (Soderman and Quigley), 190
- TROW, WILLIAM A. The elastic properties of a dense glacial till deposit (Klohn), 132
- WILSON, NYAL E. The resistance of soil structure to consolidation (Crawford), 98
- YONG, R. N. Identification and performance of swelling soil types (Hardy), 157
- YONG, R. N., and OSLER, J. C. Measured pore pressures used for the control of two-stage construction of an embankment (DeLory, Gass, and Wong), 229

#### NEWS ITEMS

- BROWN, R. J. E. Canadian Regional Permafrost Conference, 1964, 53
- CRAWFORD, C. B. Conference on Deep Foundations, Mexico City, Dec. 1964, 54

## SUBJECT INDEX OF ARTICLES AND DISCUSSION

### APPARATUS

- The resistance of soil structure to consolidation (Crawford), 90  
(discussion by Raymond), 100

### BEARING CAPACITY

- Failure of an oil storage tank founded on a sensitive marine clay (I, 205)  
(discussion by Newland), 343  
(discussion by Bozozuk), 345

- Settlement of mat foundation on thick stratum of sensitive clay (Casagrande, Firing, Schoop, and Turcke), 299

### CLAY AND CLAY MINERALOGY (*see also* SENSITIVE CLAY)

- Earth pressures at rest related to stress history (Brooker and Ireland), 1
- Failure of an embankment founded on varved clay (Lo and Stermac), 234
- Geotechnical properties of three Ontario clays (Soderman and Quigley), 167  
(discussion by Townsend), 190  
(discussion by Thomson), 194
- Identification and performance of swelling soil types (Hardy), 141

- Shrinkage of soil samples with varying clay concentration (de Jong and Warkentin), 16
- Some factors controlling the predictability of stress-strain behaviour of clay (Ladanyi, LaRochelle, and Tanguay), 60  
(discussion by Sowa), 84  
(discussion by Holubec and Scott), 87

### CONSOLIDATION

- The resistance of soil structure to consolidation (Crawford), 90  
(discussion by Wilson), 98  
(discussion by Raymond), 100  
(discussion by Lo), 114

### DAMS, SPILLWAYS, EMBANKMENTS

- A study of a large compacted clay embankment-fill failure (Insley), 274
- A till cofferdam in the St. Lawrence River (Sutcliffe), 261  
(discussion by Conlon and Bradshaw), 271
- Shellmouth Dam test fill (Rivard and Kohuska), 198  
(discussion by Matyas), 212  
(discussion by Peterson), 213  
(discussion by Pollock), 214

## **EARTH PRESSURE**

- Earth pressures at rest related to stress history (Brooker and Ireland), 1  
(discussion by Hvorslev), 337

## **ELASTIC PROPERTIES**

- Some factors controlling the predictability of stress-strain behaviour of clay (Ladanyi, LaRochelle, and Tanguay), 60  
The elastic properties of a dense glacial till deposit (Klohn), 116  
(discussion by Hanna), 129  
(discussion by Trow), 132  
(discussion by Peterson), 140  
(discussion by Burn), 341

## **FIELD TESTS AND OBSERVATIONS**

- Measured pore pressures used for the control of two-stage construction of an embankment (DeLory, Gass, and Wong), 216  
Shellmouth Dam test fill (Rivard and Kohuska), 198  
The elastic properties of a dense glacial till deposit (Klohn), 116  
(discussion by Trow), 132

## **FAILURES**

- A study of a large compacted clay embankment-fill failure (Insley), 274  
(discussion by Hardy), 287  
(discussion by Thurber), 293  
(discussion by Match), 294  
Failure of an embankment founded on varved clay (Lo and Stermac), 234  
(discussion by Eden), 259

## **FOUNDATIONS**

- Desiccation of soil by trees related to foundation settlement (Perpich, Lucas, and Baker), 23  
Settlement of mat foundation on thick stratum of sensitive clay (Casagrande, Firing, Schoop, and Turcke), 299

## **LABORATORY TESTS**

- The resistance of soil structure to consolidation (Crawford), 90  
(discussion by Raymond), 100  
Triaxial compression of a cohesive soil with effective octahedral normal stress control (Kondner and Horner), 40

## **MUSKEG**

- The corrosiveness of muskeg waters: a review (MacFarlane), 327

## **PORE PRESSURE**

- Measured pore pressures used for the control of two-stage construction of an embankment (DeLory, Gass, and Wong), 216  
(discussion by Yong and Osler), 229  
(discussion by Raymond), 232

## **SENSITIVE CLAYS**

- The resistance of soil structure to consolidation (Crawford), 90

## **SETTLEMENT**

- Settlement of mat foundation on thick stratum of sensitive clay (Casagrande, Firing, Schoop, and Turcke), 299

## **SHEAR STRENGTH**

- Failure of an embankment founded on varved clay (Lo and Stermac), 234  
(discussion by Townsend), 254  
Identification and performance of swelling soil types (Hardy), 141  
Some factors controlling the predictability of stress-strain behaviour of clay (Ladanyi, LaRochelle, and Tanguay), 60  
(discussion by Sowa), 84  
Triaxial compression of a cohesive soil with effective octahedral normal stress control (Kondner and Horner), 40  
(discussion by Perloff), 338

## **SOIL PROPERTIES**

- Desiccation of soil by trees related to foundation settlement (Perpich, Lucas, and Baker), 23  
Earth pressures at rest related to stress history (Brooker and Ireland), 1  
Geotechnical properties of three Ontario clays (Soderman and Quigley), 167  
(discussion by Townsend), 190  
Identification and performance of swelling soil types (Hardy), 141  
Shrinkage of soil samples with varying clay concentration (de Jong and Warkentin), 16  
The elastic properties of a dense glacial till deposit (Klohn), 116  
The resistance of soil structure to consolidation (Crawford), 90  
(discussion by Raymond), 100

## **STABILITY OF SLOPES**

- A study of a large compacted clay embankment-fill failure (Insley), 274  
(discussion by Hardy), 287  
Failure of an embankment founded on varved clay (Lo and Stermac), 234  
(discussion by Brooker), 258  
Measured pore pressures used for the control of two-stage construction of an embankment (DeLory, Gass, and Wong), 216  
(discussion by Golder), 227  
(discussion by Bazett), 228  
Shellmouth Dam test fill (Rivard and Kohuska), 198

## **STRESS DISTRIBUTION**

- A study of a large compacted clay embankment-fill failure (Insley), 274  
(discussion by Match), 294  
Earth pressures at rest related to stress history (Brooker and Ireland), 1

Some factors controlling the predictability of stress-strain behaviour of clay (Ladanyi, LaRochelle, and Tanguay), 60

The elastic properties of a dense glacial till deposit (Klohn), 116  
(discussion by Hanna), 129

#### SWELLING SOILS

Desiccation of soil by trees related to foundation settlement (Perpich, Lucas, and Baker), 23

Identification and performance of swelling soil types (Hardy), 141

(discussion by Thomson), 154

(discussion by Yong), 157

(discussion by Noble), 161

(discussion by Brooker), 163

#### TEMPERATURE AND THERMAL PROPERTIES

Correlating freeze-up and break-up with weather conditions (Williams), 313

#### THEORETICAL CALCULATIONS

Correlating freeze-up and break-up with weather conditions (Williams), 313

Triaxial compression of a cohesive soil with effective octahedral normal stress control (Kondner and Horner), 40

#### VOLUME CHANGES IN SOILS

Desiccation of soil by trees related to foundation settlement (Perpich, Lucas, and Baker), 23

Shrinkage of soil samples with varying clay concentration (de Jong and Warkentin), 16

## SUBJECT INDEX OF NEWS ITEMS, ETC.

#### ANNOUNCEMENTS OF CONFERENCES

ASTM 5th Pacific Area National Meeting, Nov. 1965, 298

Eleventh Annual Conference on Muskeg Research, May 1965, 57

Harvard Special Soil Mechanics Program for Teachers and Practising Engineers, June 1966, 297

Laval Advanced Soils Course, Sept. 1965, 196  
Nineteenth Canadian Soil Mechanics Conference, Vancouver. Oct. 1966, 348

Third Panamerican Conference on Soil Mechanics and Foundation Engineering, Caracas, July 1967, 347

#### OTHER

Cases for binding Volume I, 56

Correction, 58

Publication note, 56

#### PUBLICATIONS

Proceedings of the Conference on Snow Removal and Ice Control, 1964, 57

Proceedings of NRC-ASTM Symposium on Laboratory Shear Testing of Soils, 298

#### REPORTS ON CONFERENCES

Canadian Regional Permafrost Conference, 1964 (Brown), 53

Conference on Deep Foundations, Mexico City, Dec. 1964 (Crawford), 54

#### RESEARCH NOTE

Pressure membrane apparatus for investigating high suction in soils, 346

